

FIG. 1

LOGICAL VALUES		MOUSETRAP ENCODING				PKG RECODING			ACTION			
Α	В	АН	AL	ВН	BL	Р	K	G				
0 0 1	- 0 1 0	0 0 0 1	0 1 1 0	0 0 1 0	0 1 0 1	0 0 1 1	0 1 0 0	0 0 0 0	PRECHARGE/NOT READY KILL- CLEAR ALL BITS PROPAGATE - SET 1 BIT PROPAGATE - SET 1 BIT			
1	1	1	0	1	0	0	0	1	GENERATE - SET 2 BITS			

- 2






FIG. 3A










FIG. 4



- 140

FIG. 5

	G1 123	P1 121	K1 122	G2 126	P2 124	K2 125		C2 127	G 133	P 131	K 132
	0	0	1	0	0	1		0	0	0	1
1	0	-0	1	0	1	0.	Н	0 2	0	1	0
	0	0	1	1	0	0	Н	1 1	0	0	1
	0	1	0	0	0	1	П	0	0	1	0
1	0	1	0	0	1	0	П	0	1	0	0
	0	1	0	1	0	0	П	1	0	1	0
,	1	0	0	0	0	1	Н	1	0	0	1
ļ	1	0	0	0	1	0		1	0	_1.	0
	1	0	0	1	0	0		1	0	0	0



G1 123


CLK

있

FIG. 8

FIG. 7

FIG. 9



APPROVED

BY DRAFTSMAN O.G. FIG. CLASS SUBCLASS

-1G. 11

